



# Consent form for COVID-19 vaccination

Before completing this form make sure you have read the information sheet on the vaccine you will be receiving, either COVID-19 Vaccine AstraZeneca or Comirnaty (Pfizer).

## About COVID-19 vaccination

People who have a COVID-19 vaccination have a much lower chance of getting sick from COVID-19.

There are two brands of vaccine in use in Australia. Both are effective and safe. Comirnaty (Pfizer) vaccine is preferred over COVID-19 Vaccine AstraZeneca for adults under 50 years of age.

You need to have two doses of the same brand of vaccine. The person giving you your vaccination will tell you when you need to have the second vaccination.

Medical experts have studied COVID-19 vaccines to make sure they are safe. Most side effects are mild. They may start on the day of vaccination and last for around 1-2 days. As with any vaccine or medicine, there may be rare and/or unknown side effects.


A very rare side effect of blood clotting (thrombosis) with low blood platelet levels (thrombocytopenia) has been reported following vaccination with the COVID-19 Vaccine AstraZeneca. This is not seen after Comirnaty (Pfizer) vaccine. For further information on the risk of this rare condition refer to the [Patient information sheet on AstraZeneca COVID-19 vaccine and thrombosis with thrombocytopenia syndrome \(TTS\)](#).

Tell your healthcare provider if you have any side effects after vaccination that you are worried about. You may be contacted by SMS within the week after receiving the vaccine to see how you are feeling after vaccination.

Some people may still get COVID-19 after vaccination. You must still follow public health precautions as required in your state or territory to stop the spread of COVID-19 including:

- keep your distance – stay at least 1.5 metres away from other people
- washing your hands often with soap and water, or use hand sanitiser
- wear a mask
- stay home if you are unwell with cold or flu-like symptoms, and arrange to get a COVID-19 test.

|                  |  |  |  |  |  |  |  |  |  |  |  |  |
|------------------|--|--|--|--|--|--|--|--|--|--|--|--|
| Name:            |  |  |  |  |  |  |  |  |  |  |  |  |
| Medicare number: |  |  |  |  |  |  |  |  |  |  |  |  |



Vaccination providers record all vaccinations on the Australian Immunisation Register, as required by Australian law. You can view your vaccination record online through your:

- Medicare account
- MyGov account
- MyHealthRecord account.

## How the information you provide is used

For information on how your personal details are collected, stored and used visit [www.health.gov.au/covid19-privacy](http://www.health.gov.au/covid19-privacy).

## On the day you receive your vaccine

Before you get vaccinated, tell the person giving you the vaccination if you:

- Have had an allergic reaction, particularly anaphylaxis (a severe allergic reaction) to a previous dose of a COVID-19 vaccine, to an ingredient of a COVID-19 vaccine, or to other vaccines or medications.
- Are immunocompromised. This means that you have a weakened immune system that may make it harder for you to fight infections and other diseases. You can still have a COVID-19 vaccine, but may wish to consider the best timing of vaccination depending on your underlying condition and/or treatment.

| Yes                      | No                       |   |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | Have you had an allergic reaction to a previous dose of a COVID-19 vaccine?             |
| <input type="checkbox"/> | <input type="checkbox"/> | Have you had anaphylaxis to another vaccine or medication?                              |
| <input type="checkbox"/> | <input type="checkbox"/> | Do you have a mast cell disorder?   |
| <input type="checkbox"/> | <input type="checkbox"/> | Have you had COVID-19 before?   |
| <input type="checkbox"/> | <input type="checkbox"/> | Do you have a bleeding disorder?  |
| <input type="checkbox"/> | <input type="checkbox"/> | Do you take any medicine to thin your blood (an anticoagulant therapy)?                 |
| <input type="checkbox"/> | <input type="checkbox"/> | Do you have a weakened immune system (immunocompromised)?                               |
| <input type="checkbox"/> | <input type="checkbox"/> | Are you pregnant?*  |
| <input type="checkbox"/> | <input type="checkbox"/> | Have you been sick with a cough, sore throat, fever or are feeling sick in another way? |
| <input type="checkbox"/> | <input type="checkbox"/> | Have you had a COVID-19 vaccination before?   |
| <input type="checkbox"/> | <input type="checkbox"/> | Have you received any other vaccination in the last 14 days?                            |

*Relevant for AstraZeneca COVID-19 vaccine only:*

|                          |                          |  |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | Have you ever had cerebral venous sinus thrombosis? *                      |
| <input type="checkbox"/> | <input type="checkbox"/> | Have you ever had heparin-induced thrombocytopenia? *                      |
| <input type="checkbox"/> | <input type="checkbox"/> | Have you ever had blood clots in the abdominal veins? *                    |
| <input type="checkbox"/> | <input type="checkbox"/> | Have you ever had antiphospholipid syndrome associated with blood clots? * |
| <input type="checkbox"/> | <input type="checkbox"/> | Are you under 50 years of age? *   |

\* If Comirnaty is not available, AstraZeneca COVID-19 vaccine can be considered for people in these groups, if the benefits of vaccination outweigh the risk. For more information refer to the: '[Patient information sheet on thrombosis with thrombocytopenia syndrome \(TTS\)](#)'

|                  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Name:            |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Medicare number: |  |  |  |  |  |  |  |  |  |  |  |  |  |



